

Microsoft Visual C++

```
REM #####
REM Installs: Visual C++
REM Arkitektur: x86, x64
REM Download link:
REM Contact information:
REM Documentation:
REM Created:
REM Modified:
REM Info:
REM Program reboots during install: No
REM Windows needs to be rebooted by SCCM after install: No
REM User interaction at install: No
REM Application dependencies: No
REM Produktkod:
REM Uninstall command:
REM #####
```

setlocal

REM Kör setup för Visual C++ 2005

```
msiexec.exe /qb- /i "%~dp02005_SP1_x86\vc_redist.msi"
msiexec.exe /qb- /i "%~dp02005_SP1_x64\vc_redist.msi"
```

REM Kör setup för Visual C++ 2008

```
msiexec.exe /qb- /i "%~dp02008_SP1_x86\vc_red.msi"
msiexec.exe /qb- /i "%~dp02008_SP1_x64\vc_red.msi"
```

REM Kör setup för Visual C++ 2010

```
msiexec.exe /qb- /i "%~dp02010_SP1_x86\vc_red.msi"
msiexec.exe /qb- /i "%~dp02010_SP1_x64\vc_red.msi"
```

REM Kör setup för Visual C++ 2012

```
msiexec.exe /qb- /i "%~dp02012\vcRuntimeMinimum_x86\vc_runtimeMinimum_x86.msi" ADDEPLOY=1
msiexec.exe /qb- /i "%~dp02012\vcRuntimeAdditional_x86\vc_runtimeAdditional_x86.msi" ADDEPLOY=1
```

```
msiexec.exe /qb- /i "%~dp02012\vcRuntimeMinimum_amd64\vc_runtimeMinimum_x64.msi" ADDEPLOY=1
msiexec.exe /qb- /i "%~dp02012\vcRuntimeAdditional_amd64\vc_runtimeAdditional_x64.msi" ADDEPLOY=1
```

endlocal

REM Return exit code to SCCM

exit /B %EXIT_CODE%